

PROFESSIONAL AIR TOOLS IN TAIWAN

*Herramientas
Neumáticas en Taiwan*

台灣專業製造 氣動工具



| PROFESSIONAL | HIGH QUALITY |
www.alta-pro.com.tw

JS-MRP-1808

JS-MH-1808

Optional Nozzle :

1.3, *1.4, 1.7, 1.9, 2.1, 2.5mm

Cup Capacity :

600 C.C Gravity Nylon Cup

Gun Weight : 448 g

Air Inlet : 1/4" PF

Fluid Inlet : M16 X 1.5 P

Package : 10 Pcs / Ctn / N.W. :

10Kgs/ G..W.:11 Kgs/ 2.0'



Item No. 型號	JS-MRP1808 Reduced Pressure	JS-MH 1808
Type	LVMP 中壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	170	145
Pattern Width 噴幅 (m/m)	270	270
Air Cons. 耗氣量 (l/Min.)	240	250
Air Pressure 使用壓力 (PSI)	15~28	15~28

JS-M-1314

JS-MH-1314

JS-M-L1314

Optional Nozzle :

1.2, 1.3,*1.4, 1.6, 1.8, 2.0, 2.5mm

Cup Capacity :

600 C.C Gravity Nylon Cup

Gun Weight : 448 g

Air Inlet : 1/4" PF

Fluid Inlet : M16 X 1.5 P

Package : 10 Pcs / Ctn / N.W. :

10Kgs/ G..W.:11 Kgs/ 1.7'



Item No. 型號	JS-M 1314	JS-MH 1314	JS-M L1314
Type	HP 高壓	HVLP 環保型	LVLP 環保優型
Fluid Output 出漆量 (l/Min)	220	150	140
Pattern Width 噴幅 (m/m)	310	310	310
Air Cons. 耗氣量 (l/Min.)	210	270	270
Air Pressure 使用壓力 (PSI)	30~45	15~28	15~28

JS-G-1325

Optional Nozzle :

0.8, 1.1, 1.3,*1.4, 1.5,1.8, 2.0, 2.5 mm

Cup Capacity :

400 C.C Gravity Cup

Gun Weight : 440 g

Air Inlet : 1/4" PF

Fluid Inlet : 1/4" NPS

Package : 10 Pcs / Ctn / N.W. :

11Kgs/ G..W.:12 Kgs/ 1.7'



Item No. 型號	JS-G1325
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	190
Pattern Width 噴幅 (m/m)	260
Air Cons. 耗氣量 (l/Min.)	190
Air Pressure 使用壓力 (PSI)	30~45

JS-S-1325

Optional Nozzle :

0.8, 1.1, 1.3, 1.4, 1.5,

*1.8, 2.0, 2.5 mm

Cup Capacity :

700 C.C or 1000C.C Suction Cup

Gun Weight : 440 g

Air Inlet : 1/4" PF

Fluid Inlet : 3/8" or 1/4" NPS

Package : 10 Pcs / Ctn / N.W. :

13Kgs/ G..W.:14 Kgs/ 1.7'



Item No. 型號	JS-S1325
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	190
Pattern Width 噴幅 (m/m)	265
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45

**JS-S-1003
JS-SH-1003**

- Optional Nozzle :
1.0, 1.2, 1.3, *1.4, 1.5, 1.6,
1.8, 2.0, 2.5mm
- Cup Capacity :
1000 C.C Alu. Suction Cup
- Gun Weight : 514 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
14Kgs/ G..W.:15 Kgs/ 1.7'



JS-KS-502



JS-KS-503



Item No. 型號	JS-S 1003	JS-SH 1003
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	220	130
Pattern Width 噴幅 (m/m)	310	300
Air Cons. 耗氣量 (l/Min.)	210	210
Air Pressure 使用壓力 (PSI)	30~45	15~28

JS-KS 502 Airless Spray Gun	
■ MAX PRESSURE 490 BAR (7000 PSI)	
■ 2 Finger Trigger	
■ New Pistol grip Handle	
■ Convenient Swivel at Inlet	
■ Convenient Right and Left Hand trigger Lock	
■ Nozzle : M17.5(11/16") x 16 P , M22 (7/8") x 14 P	
■ Fluid Fitting : 1/4 BPS x 19 P , 1/4 NPS x 18P , M 16 x 1.5P	

JS-KS503 Airless Spray Gun	
■ MAX PRESSURE 490 BAR (7000 PSI)	
■ 2 Finger Trigger	
■ New Pistol grip Handle	
■ Convenient Swivel at Inlet	
■ Convenient Right and Left Hand trigger Lock	
■ Nozzle : M17.5(11/16") x 16 P , M22 (7/8") X 14 P	
■ Fluid Fitting : 1/4 BPS x 19 P , 1/4 NPS x 18P , M 16 x 1.5P	

**JS-M-1008
JS-MH-1008
JS-ML-1008**

- Optional Nozzle :
1.0, 1.3,*1.4, 1.5, 1.7,
2.0, 2.5, 3.0, 3.5mm
- Cup Capacity : 600 C.C Gravity Nylon Cup
- Gun Weight : 620 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
11Kgs/ G..W.:12 Kgs/ 1.7'



**JS-S-1008
JS-SH-1008**

- Optional Nozzle :
1.0, 1.3,*1.4, 1.5, 1.7, 2.0,
2.5,3.0mm
- Cup Capacity :
1000 C.C Alu. Suction Cup
- Gun Weight : 630 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
11Kgs/ G..W.:12 Kgs/ 1.7'



Item No. 型號	JS-M 1008	JS-MH 1008	JS-ML 1008
Type	HP 高壓	HVLP 環保型	LVLP 環保優型
Fluid Output 出漆量 (l/Min)	210	145	130
Pattern Width 噴幅 (m/m)	270	300	300
Air Cons. 耗氣量 (l/Min.)	190	250	250
Air Pressure 使用壓力 (PSI)	30~45	15~28	15~28

Item No. 型號	JS-S 1008	JS-SH 1008
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	220	185
Pattern Width 噴幅 (m/m)	310	300
Air Cons. 耗氣量 (l/Min.)	210	260
Air Pressure 使用壓力 (PSI)	30~45	15~28

Air Spray Gun / Pistola de Aire 噴槍

FORGED BODY- ALLOY

陽極鍛造槍體


JS-MH-1768

JS-MH-1806

JS-ML-1768

JS-ML-1806

- Optional Nozzle :
1.3, *1.4, 1.5, 1.7,
2.0, 2.5 mm
- Cup Capacity :
600 C.C Gravity Nylon Cup
- Gun Weight : 620 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
10Kgs/ G..W.:11 Kgs/ 1.7'



JS-MH 1768
JS-ML 1768

JS-MH 1806
JS-ML 1806


Item No. 型號	JS-MH 1768 JS-MH 1806	JS-ML 1768 JS-ML 1806
Type	HVLP 環保型	LVLP 環保優型
Fluid Output 出漆量 (l/Min)	140	130
Pattern Width 噴幅 (m/m)	300	300
Air Cons. 耗氣量 (l/Min.)	260	250
Air Pressure 使用壓力 (PSI)	15~28	15~28

JS-M-1014

JS-MH-1014

JS-ML-1014

- Optional Nozzle :
1.0, 1.2, 1.3, *1.4, 1.5, 1.6,
1.8, 2.0, 2.5mm
- Cup Capacity :
600 C.C Gravity Nylon Cup
- Gun Weight : 514 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
10Kgs/ G..W.:11 Kgs/ 1.7'



Item No. 型號	JS-M 1014	JS-MH 1014	JS-ML 1014
Type	HP 高壓	HVLP 環保型	LVLP 環保優型
Fluid Output 出漆量 (l/Min)	220	150	140
Pattern Width 噴幅 (m/m)	310	310	310
Air Cons. 耗氣量 (l/Min.)	210	270	270
Air Pressure 使用壓力 (PSI)	30~45	15~28	15~28

JS-M-1566

JS-MH-1788

JS-ML-1788

- Optional Nozzle :
1.0, 1.3, *1.4, 1.5, 1.7,
2.0, 2.5, 3.0, 3.5mm
- Cup Capacity :
600 C.C Gravity Nylon Cup
- Gun Weight : 620 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
10Kgs/ G..W.:11 Kgs/ 1.7'



Item No. 型號	JS-M 1566	JS-MH 1788	JS-ML 1788
Type	HP 高壓	HVLP 環保型	LVLP 環保優型
Fluid Output 出漆量 (l/Min)	220	140	130
Pattern Width 噴幅 (m/m)	260	300	300
Air Cons. 耗氣量 (l/Min.)	200	260	250
Air Pressure 使用壓力 (PSI)	30~45	15~28	15~28

JS-S-1566

JS-S-1788

- Optional Nozzle :
1.0, 1.3, 1.4, 1.5, *1.7, 2.0,
2.5, 3.0mm
- Cup Capacity :
1000 C.C Alu.Suction Cup
- Gun Weight : 630 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 3/8"NPS
- Package : 10 Pcs / Ctn / N.W. :
14Kgs/ G..W.:15 Kgs/ 1.7'



Item No. 型號	JS-S 1566	JS-S 1788
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	220	185
Pattern Width 噴幅 (m/m)	310	300
Air Cons. 耗氣量 (l/Min.)	210	250
Air Pressure 使用壓力 (PSI)	30~45	15~28

JS-G-1706

- Optional Nozzle :
0.8, 1.0, 1.3, *1.5, 1.8, 2.0, 2.5mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 365g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
18Kgs/ G.W.:19 Kgs/ 2.5'



Item No. 型號	JS-G 1706	JS-S 1706
Type	HP高壓	HP高壓
Fluid Output 出漆量 (l/Min)	210	190
Pattern Width 噴幅 (m/m)	280	280
Air Cons. 耗氣量 (l/Min.)	220	200
Air Pressure 使用壓力 (PSI)	30~45	30~45

JS-S-1706

- Optional Nozzle :
0.8, 1.0, 1.3, *1.5, 1.8, 2.0, 2.5 mm
- Cup Capacity :
700 or 1000 C.C Suction Cup
- Gun Weight : 365g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" or 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
11Kgs/ G.W.:12Kgs/ 2.2'



JS-MHA-1768

- Optional Nozzle :
1.3, *1.4, 1.5, 1.7, 2.0, 2.5 mm
- Cup Capacity :
600 C.C Gravity Nylon Cup
- Gun Weight : 620g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
10Kgs/ G.W.:11 Kgs/ 1.7'




Forged Body-Alloy (陽極鍛造槍體)

Item No. 型號	JS-MHA 1768
Type	HVLP環保型
Fluid Output 出漆量 (l/Min)	140
Pattern Width 噴幅 (m/m)	300
Air Cons. 耗氣量 (l/Min.)	260
Air Pressure 使用壓力 (PSI)	15~28

JS-G-1105

- Optional Nozzle :
1.1, *1.4, 1.8, 2.0 mm(HP)
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 480 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
19Kgs/ G.W.:20 Kgs/ 2.5'



Item No. 型號	JS-G 1105
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	155
Pattern Width 噴幅 (m/m)	270
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45

JS-S-1105

- Optional Nozzle :
0.8, 1.1, 1.4, 1.5, *1.8, 2.0, 2.5 mm(HP)
- Cup Capacity :
1000 C.C Suction Cup
- Gun Weight : 480 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 10 Pcs / Ctn / N.W. :
19Kgs/ G.W.:20 Kgs/ 2.5'




Item No. 型號	JS-S 1105
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	155
Pattern Width 噴幅 (m/m)	270
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45

Air Spray Gun / Pistola de Aire 噴槍

JS-MG-1023
JS-MG-1053
JS-G-1023
JS-G-1053

- Optional Nozzle :
0.5, *0.8, 1.0, 1.2 mm
- Cup Capacity :
125 C.C Gravity Cup
- Gun Weight : 280 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M14 X 1.0 P
- Package : 20 Pcs / Ctn / N.W. :
14Kgs/ G..W.:15 Kgs/ 1.2'




Mini Jet
小型噴槍

JS-M-1023
JS-M-1053

JS-G-1605
JS-G-1825

- Optional Nozzle :
1.1 , *1.4 , 1.8 , 2.0 mm(HP)
1.2 , *1.4 , 1.7 , 2.0 mm(HVLP)
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 480 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
19Kgs/ G..W.:20 Kgs/ 2.5'



Suitable for small , narrow space spraying, repairing. 適用於小面積修補

Item No. 型號	JS-M 1023	JS-M 1053	JS-MG 1023	JS-MG 1053	JS-G 1023	JS-G 1053
Type	HP 高壓	HVLP 環保型	HP 高壓	HVLP 環保型	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	95	90	95	90	95	90
Pattern Width 噴幅 (m/m)	140	140	140	140	140 (Round)	140 (Round)
Air Cons. 耗氣量 (l/Min.)	90	109	90	109	90	109
Air Pressure 使用壓力 (PSI)	30~45	15~28	30~45	15~28	30~45	15~28

Item No. 型號	JS-G 1605	JS-G 1825
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	155	150
Pattern Width 噴幅 (m/m)	270	300
Air Cons. 耗氣量 (l/Min.)	200	250
Air Pressure 使用壓力 (PSI)	30~45	15~28

JS-M-1605
JS-M-1825

- Optional Nozzle :
0.8, 1.1, *1.4 , 1.5, 1.8 ,
2.0, 2.5 mm(HP)
1.2 , 1.3 , *1.4 , 1.7 , 2.0,
2.4 mm(HVLP)
- Cup Capacity :
600 C.C Gravity Nylon Cup
- Gun Weight : 480 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
10Kgs/ G..W.:11 Kgs/ 1.7'



JS-S-1605
JS-S-1825

- Optional Nozzle :
0.8, 1.1, 1.4, 1.5, *1.8 ,
2.0, 2.5 mm(HP)
1.2 , 1.3 , 1.4 , *1.7 , 2.0,
2.4 mm (HVLP)
- Cup Capacity :
1000 C.C Suction Cup
- Gun Weight : 480 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 10 Pcs / Ctn / N.W. :
19Kgs/ G..W.:20 Kgs/ 2.5'



Item No. 型號	JS-M 1605	JS-M 1825
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	155	150
Pattern Width 噴幅 (m/m)	270	300
Air Cons. 耗氣量 (l/Min.)	200	250
Air Pressure 使用壓力 (PSI)	30~45	15~28

Item No. 型號	JS-S 1605	JS-S 1825
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	155	150
Pattern Width 噴幅 (m/m)	270	300
Air Cons. 耗氣量 (l/Min.)	200	250
Air Pressure 使用壓力 (PSI)	30~45	15~28

JS-M-1968
JS-MH-1668
JS-ML-1668

- Optional Nozzle :
1.0, 1.3, *1.4, 1.5, 1.7, 2.0,
2.5, 3.0, 3.5mm
- Cup Capacity :
600 C.C Gravity Nylon Cup
- Gun Weight : 620 g
- Air Inlet : 1/4" PF
- Fluid Inlet : M16 X 1.5 P
- Package : 10 Pcs / Ctn / N.W. :
10Kgs/ G..W.:11 Kgs/ 1.7'



Item No. 型號	JS-M 1968	JS-MH 1668	JS-ML 1668
Type	HP 高壓	HVLP 環保型	LVL 環保型
Fluid Output 出漆量 (l/Min)	210	145	130
Pattern Width 噴幅 (m/m)	270	300	300
Air Cons. 耗氣量 (l/Min.)	190	250	250
Air Pressure 使用壓力 (PSI)	30~45	15~28	15~28

JS-S-1968
JS-S-1668

- Optional Nozzle :
1.0, 1.3, 1.4, 1.5,*1.7, 2.0,
2.5, 3.0, 3.5mm
- Cup Capacity :
1000 C.C Suction Cup
- Gun Weight : 630 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 3/8"NPS
- Package : 10 Pcs / Ctn / N.W. :
14Kgs/ G..W.:15 Kgs/ 1.7'



Item No. 型號	JS-S 1968	JS-S 1668
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	210	185
Pattern Width 噴幅 (m/m)	270	300
Air Cons. 耗氣量 (l/Min.)	200	260
Air Pressure 使用壓力 (PSI)	30~45	15~28

JS-G-1006
JS-G-1106

- Optional Nozzle :
0.8, 1.1, 1.3, *1.4, 1.8, 2.0 mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 315 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
19Kgs/ G..W.:20 Kgs/ 2.5'



Item No. 型號	JS-G 1006	JS-G 1106
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	175	170
Pattern Width 噴幅 (m/m)	300	300
Air Cons. 耗氣量 (l/Min.)	240	230
Air Pressure 使用壓力 (PSI)	30~45	15~28

JS-S-1006
JS-S-1106

- Optional Nozzle :
0.8, 1.1, 1.3, 1.4,*1.8, 2.0 mm
- Cup Capacity :
700 or 1000 C.C Suction Cup
- Gun Weight : 315 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" or 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
19Kgs/ G..W.:20 Kgs/ 2.5'



Item No. 型號	JS-S 1006	JS-S 1106
Type	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	150	140
Pattern Width 噴幅 (m/m)	300	300
Air Cons. 耗氣量 (l/Min.)	230	280
Air Pressure 使用壓力 (PSI)	30~45	15~28



JS-G-1001

- Optional Nozzle :
0.8 , 1.0, 1.3, *1.5 , 1.8 , 2.0 , 2.5mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 410g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
18Kgs/ G..W.:19 Kgs/ 2.5'


Item No. 型號	JS-G 1001
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	210
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	220
Air Pressure 使用壓力 (PSI)	30~45



JS-S-1001

- Optional Nozzle :
0.8 , 1.0, 1.3, *1.5 , 1.8 , 2.0 , 2.5 mm
- Cup Capacity :
700 or 1000 C.C Suction Cup
- Gun Weight : 410 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" or 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
11Kgs/ G..W.:12 Kgs/ 2.2'

Item No. 型號	JS-S 1001
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	190
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-G-1888

- Optional Nozzle :
0.8 , 1.0, 1.3, *1.5 ,
1.8 , 2.0 , 2.5 mm
- Cup Capacity : 400 C.C Gravity Cup
- Gun Weight : 460 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
20Kgs/ G..W.:21 Kgs/ 2.5'


Item No. 型號	JS-G 1888
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	220
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-S-1888

- Optional Nozzle :
0.8 , 1.0, 1.3, *1.5 , 1.8 , 2.0 , 2.5 mm
- Cup Capacity :
700 or 1000 C.C Suction Cup
- Gun Weight : 460 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" or 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
13Kgs/ G..W.:14 Kgs/ 2.2'

Item No. 型號	JS-S 1888
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	180
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-G-117

- Optional Nozzle :
1.0, 1.3,*1.5 , 1.8 mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 460 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
19Kgs/ G..W.:20 Kgs/ 2.5'

Item No. 型號	JS-G 117
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	200
Pattern Width 噴幅 (m/m)	270
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-S-117

- Optional Nozzle :
1.0,1.3,*1.5 , 1.8 mm
- Cup Capacity :
700 or 1000 C.C Suction Cup
- Gun Weight : 460 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4"
- Package : 10 Pcs / Ctn / N.W. :
11Kgs/ G..W.:12 Kgs/ 2'

Item No. 型號	JS-S 117
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	185
Pattern Width 噴幅 (m/m)	270
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-G-136

- Optional Nozzle :
0.8,1.0,1.3,*1.5 ,1.8, 2.0, 2.5 mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 460 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
19Kgs/ G..W.:20 Kgs/ 2.5'

Item No. 型號	JS-G 136
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	200
Pattern Width 噴幅 (m/m)	270
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-S-136

- Optional Nozzle :
0.8,1.0,1.3,*1.5 , 1.8,2.0,2.5 mm
- Cup Capacity :
700 or1000 C.C Suction Cup
- Gun Weight : 460 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" or 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
11Kgs/ G..W.:12 Kgs/ 2'

Item No. 型號	JS-S 136
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	180
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45

Air Spray Gun / Pistola de Aire 噴槍



JS-G-1195

- Optional Nozzle :
1.0, *1.4, 1.6, 2.0mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 520 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
20Kgs/ G..W.:21 Kgs/ 2.5'


Item No. 型號	JS-G 1195
Type	HVLP 環保型
Fluid Output 出漆量 (l/Min)	140
Pattern Width 噴幅 (m/m)	300
Air Cons. 耗氣量 (l/Min.)	260
Air Pressure 使用壓力 (PSI)	15~28



JS-S-1195

- Optional Nozzle :
1.0, *1.4, 1.6, 2.0mm
- Cup Capacity :
1000 C.C Suction Cup
- Gun Weight : 520 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
13Kgs/ G..W.:14 Kgs/ 1.7'

Item No. 型號	JS-S 1195
Type	HVLP 環保型
Fluid Output 出漆量 (l/Min)	140
Pattern Width 噴幅 (m/m)	300
Air Cons. 耗氣量 (l/Min.)	260
Air Pressure 使用壓力 (PSI)	15~28



JS-G-1998

- Optional Nozzle :
0.8, 1.0, 1.3, *1.5, 1.8, 2.0, 2.5 mm
- Cup Capacity :
400 C.C Gravity Cup
- Gun Weight : 450 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. :
20Kgs/ G..W.:21 Kgs/ 2.5'

Item No. 型號	JS-G 1998
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	220
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	220
Air Pressure 使用壓力 (PSI)	30~45



JS-S-1998

- Optional Nozzle :
0.8, 1.0, 1.3, *1.5, 1.8, 2.0, 2.5 mm
- Cup Capacity :
700 or 1000 C.C Suction Cup
- Gun Weight : 450 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" or 3/8" NPS
- Package : 10 Pcs / Ctn / N.W. :
13Kgs/ G..W.:14 Kgs/ 2.2'

Item No. 型號	JS-S 1998
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	180
Pattern Width 噴幅 (m/m)	280
Air Cons. 耗氣量 (l/Min.)	200
Air Pressure 使用壓力 (PSI)	30~45



JS-G-17

- Optional Nozzle : 1.2 mm
- Cup Capacity : 400 C.C Gravity Cup
- Gun Weight : 520 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 20 Pcs / Ctn / N.W. : 19Kgs/ G..W.:20 Kgs/ 2.5'

Item No. 型號	JS-G 17
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	110
Pattern Width 噴幅 (m/m)	160
Air Cons. 耗氣量 (l/Min.)	190
Air Pressure 使用壓力 (PSI)	30~45



- Optional Nozzle : 1.2 mm
- Cup Capacity : 700 C.C Suction Cup
- Gun Weight : 520 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 1/4" NPS
- Package : 10 Pcs / Ctn / N.W. : 11Kgs/ G..W.:12 Kgs/ 2'

Item No. 型號	JS-S 17
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	110
Pattern Width 噴幅 (m/m)	160
Air Cons. 耗氣量 (l/Min.)	190
Air Pressure 使用壓力 (PSI)	30~45



JS-S-1178


- Optional Nozzle : 25W & 10W
- Cup Capacity : 1000 C.C Suction Cup
- Gun Weight : 560 g
- Air Inlet : 1/4" PF
- Fluid Inlet : 16MM(F)

Item No. 型號	JS-S 1178
Type	HP 高壓
Fluid Output 出漆量 (l/Min)	450
Pattern Width 噴幅 (m/m)	400
Air Cons. 耗氣量 (l/Min.)	230
Air Pressure 使用壓力 (PSI)	30~45

AUTOMATIC SPRAY GUN

JS-A-1001 JS-A-1002 JS-AH-1002

- Optional Nozzle : 0.8,*1.0,1.3,1.5 mm (JS-A1001)
- Optional Nozzle : 1.0,*1.2,1.4,1.5, 1.6,1.8,2.0 mm (JS-A1002, JS-AH1002)
- Gun Weight : 524 g
- Air Inlet : 1/4" PF
- Fluid Inlet :: 1/4" NPS (JS-A1001) , 3/8" (JS-A1002,JS-AH2002)



With compact full size automatic air-spray gun for automated painting equipment, reciprocators or robotic painting. Offering multiple mounting and spraying options. 安裝於自動機臺.適用於皮革噴膠,冷卻等

Item No. 型號	JS-A1001	JS-A1002	JS-AH1002
Type	HP 高壓	HP 高壓	HVLP 環保型
Fluid Output 出漆量 (l/Min)	190	220	220
Pattern Width 噴幅 (m/m)	250	340	340
Air Cons. 耗氣量 (l/Min.)	270	270	290
Air Pressure 使用壓力 (PSI)	30~45	30~45	15~28

Air Spray Gun / Pistola de Aire 噴槍

JS-A15

JS-A16

- Optional Nozzle : 1.0, 1.3, 2.0 mm
- Air Inlet : 1/8" PF
- Fluid Inlet : 1/8" NPS
- Gun Weight: 252g
- JS-A16 Pattern Adjustable

With compact full size automatic air-spray gun for automated painting equipment, reciprocators or robotic painting. Offering multiple mounting and spraying options.

體積小、操作反應靈敏、霧化效果卓越。JS-A16噴槍上設有噴幅寬度調整旋鈕及噴量調整旋鈕，可選擇扇形噴幅或圓錐形噴幅，噴幅寬度亦可無段調整至適當位置及任意調整噴量大小，附360度旋轉的噴槍固定座。

適用於：自動機臺模具、離型劑噴塗、塑膠冷卻、廠房消毒加濕

Item No. 型號	JS-A15	JS-A16
Type	HP 高壓	HP 高壓
Fluid Output 出漆量 (l/Min)	NON	NON
Pattern Width 噴幅 (m/m)	300	300
Air Cons. 耗氣量 (l/Min.)	NON	NON
Air Pressure 使用壓力 (PSI)	30~45	30~45

AUTOMATIC SPRAY GUN



JS-401

Dry Blow Gun

- Reduce Drying Time To Increase Job Through-Out
- Excellent Solution For Water-Based Applications.
- Ultra-Fine Filter Ensures Tip Quality Finish.
- Simple To Use
- 453 L/Min. (4 BAR)
- Weight 440 G



HVLP Air Spray Gun

JS-S1103-250

250C.C. Nylon Cup

JS-S1103-1000

1000C.C. Alu. Suction Cup

- Optional Nozzle : 0.5, 0.8, 1.0, 1.3, 1.5, 1.8, 2.0, 2.5 mm
- Air Inlet : M18x1.0P
- Fluid Inlet : 3/8" PS
- Gun Weight: 516g



JS K2P

- JS K2P
2 Liter Pressure Tank



JS K2P + K600P

- JS K2P + K600P
2 Liter Pressure Tank with K600P Pressure Paint Gun



JS-501S

- JS-501S
Dry Blow Gun Stand For 2 Dry Guns
1pc/6kgs/7kgs/0.52'



- JS-W71D
Dishevelled Spray Gun

1. JS-K350
Air Regulator With Gauge

2. JS-RK2
Stainless Steel Viscosity Cup

3. JS-RK4
Nylon Viscosity Cup

4. JS-BH02
1/4" Fitting

5. JS-BH03
3/8" Fitting

6. JS-NNK
Nozzle And Needle Are Made Of
Stainless Steel

7. JS-17CSET
17pcs Cleaning Kit

8. JS-K85
Air Regulator

9. Air Cap of Airless Gun

10. JS-PC6PF
Gravity Nylon Filter

11. JS-PC27F
9.5m/m Suction Filter

12. JS-PC29F
11.5m/m Suction Filter

13. JS-PC29FN
Suction Nylon Filter

14. JS-PC29FR
Suction Stainless Steel Filter

15. JS-RDF
Disposable Filter

16. JS-TWS
Water Separator

17. JS-AJN
Simple Air Regulator


18. JS-BH23100(10M)

19. JS-BH231000(100M)

20. JS-BH23130(130M)

Twin Hose 3/8"PU+Nylon Paint Hose
Twin Hose 1/4"PU Air Hose
Air Hose: ID 6.5m/m x OD10m/m
Paint Hose: ID 8.0m/m x OD11m/m

21. JS-DP3+K600P
Diaphragm Pump with Stand +
K600P Pressure Paint Gun



JS-DP3

Diaphragm Pump :

Pressure Ratio : 1 : 1

Air Pressure : 1~5 kg/cm2

Paint Outlet : 1/4" PT

Air Inlet : 1/4"

Max. Delivery : 16~23 L/ Min.

•The castings are Aluminum.

•The seats and balls are stainless steel.

•The Max. air inlet pressure into pump shuttle valve is not to exceed 70 PSI.

•Diaphragm Material : Teflon

•Acceptable Fluid Temperature : 10° ~ 80°

 JS-DPC 6AM 600c.c Nylon Cup 1	 JS-DPC 6A 600c.c Nylon Cup 2	 JS-DPC 6PG 600 C.C. Gravity Cup 3
 JS-1101 125c.c Nylon Cup 4	 JS-1106 600c.c Aluminum Cup W/Alu. Lip 5	 JS-G400SF 400 C.C Stainless Steel Gravity Cup with support 6
 JS-G400S 400c.c Stainless Steel Gravity Cup 7	 JS-1107 1000c.c Alu. Gravity Cup W/Nylon Lid 8	 JS-PC1-2 Alu. 1000c.c Gravity Cup -1/4" JS-PC1-3 Alu. 1000c.c Gravity Cup -3/8" 9
 JS-PC23 Alu. 700c.c Suction Cup -1/4" 10	 JS-PC29 Alu. 1000c.c Suction Cup -3/8" 11	 JS-PC650 Alu. 1000c.c Suction Cup -3/8" 12
 JS-DPC 871F Suction Cup 13	 K-1813S Undercoating gun (Short Nozzle) 14	 K-1813L-150mm K-1813L-300mm K-1813L-600mm Undercoating gun (Long Nozzle) 15



**Air Brush Kit
JS-AB-119**

Double-action trigger Air-Paint control, Precisely machined fine nozzle, suitable for art work, design painting.

- Contents:
1-Air brush, 2-22C.C. 50C.C. Glass jar, 1-5' Air hose, 1-Adaptor, 1-Holder
- Specification:

Fluid nozzle	:0.3mm	■ 40SETS/CTN/1.9'
Working pressure	:15-30PSI	NW:18.3KGS
Cup capacity	:22C.C. 50C.C.	GW:19.3KGS
Cup fix	:detachable	



**Air Brush Kit
JS-AB-116**

Double-action trigger Air-Paint control, special gun with fine round spray pattern, for art work, design & mural painting, fine regulation of material flow.

- Contents:
1-Air brush, 2-10C.C. 5C.C. cup, 2-Adaptor, 1-wrench
- Specification:

Fluid nozzle	:0.2mm	■ 40SETS/CTN/1.9'
Working pressure	:15-30PSI	NW:17.9KGS
Air consumption	:0.4-0.8CFM	GW:18.9KGS
Cup capacity	:10C.C. 5C.C.	
Cup fix	:Side screw fix	



**Air Brush Kit
JS-AB-134B**

Double-action trigger Air-Paint control, Precisely machined fine nozzle, suitable for art work, design painting.

- Specification:

Fluid nozzle	:0.3mm
Working pressure	:15-30PSI
Capacity of fixed cup	:2C.C. 5C.C. 13C.C.
- 40SETS/CTN/1.9'
NW:17.9KGS
GW:18.9KGS



**SET Air Brush Kit
JS-AB-133BM**

Double-action trigger Air-Paint control, Precisely machined fine nozzle, suitable for art work, design painting.

- Contents:
1-Air brush, 2-10C.C. 5C.C. Glass cup, 2-Adaptor, 1-wrench
- Specification:

Fluid nozzle	:0.3mm	■ 40SETS/CTN/1.9'
Working pressure	:15-30PSI	NW:13.5KGS
Capacity of fixed cup	:5C.C.	GW:14.5KGS
- 40SETS/CTN/1.3'
NW:11.2KGS
GW:12.2KGS



JS-SPD-06
AIR HOSE SET
6.5FT 1/8" -1/8"



JS-SPD-05
AIR HOSE SET
6.5FT 1/8" -1/4"



**Air Compressor
JS-CP-201**

- | | |
|------------------|------------------------------|
| Electric motor | :1/6hp 110/220v, 60/50Hz |
| Air displacement | :110V/60Hz 1.8CFM(50.4L/min) |
| | :220V/50Hz 1.5CFM(42L/min) |
| Connection | :1/8" |
| Max. pressure | :60PSI(4.2kgs) |
| Electric cable | :1.5M |
| Weight | :4.3kgs |
| RPM | :110C/3400, 220V/2800 |
| AMP | :110V/1.6A, 220v/0.8A |
| 4PCS/CTN/1/4' | |
| NW | :21. KGS |
| GW | :22.0KGS |

- *Ultra Fine Atomization, highly defined*
- *Suitable for Waterbone Paints*
- *Wide Stable Spray Pattern*
- *Perfect for the application of base and clearcoats*
- *Stainless Nozzle and Needle*
- *High Transfer Efficiency Rate > 65%*
Coherence HVLP 83% , LVMP 75% , LVLP 88%
100 % Spray Pattern Check

- 優質霧化技術，減少過噴，節省漆料
 - 耗風量低，使用彈性大
 - 噴幅大，型狀穩定，霧化均勻，提高生產力
 - 流線造型，符合人體工學，減少操作疲勞
 - 結構緊密堅固，持久耐用
 - 所有零件台灣生產，出廠前皆手工調校測試
 - 適用於各種溶劑型及水性漆的噴槍
 - 使用距離15~20 cm
 - 高轉換效率，高附著力
- HP 高壓大於65% ， HVLP 環保型約83% ，
LVMP 中壓 約75% ， LVLP 環保優型 約88%